

**Nursing Outcomes Classification (NOC), 3rd ed.**  
**Outcome Labels and Definitions**  
**(330 Outcomes)**

2500 <b>Abuse Cessation</b> Evidence that the victim is no longer hurt or exploited
2501 <b>Abuse Protection</b> Protection of self or dependent others from abuse
2514 <b>Abuse Recovery Status</b> Extent of healing following physical or psychological abuse that may include sexual or financial exploitation
2502 <b>Abuse Recovery: Emotional</b> Extent of healing of psychological injuries due to abuse
2503 <b>Abuse Recovery: Financial</b> Extent of control of monetary and legal matters following financial exploitation
2504 <b>Abuse Recovery: Physical</b> Extent of healing of physical injuries due to abuse
2505 <b>Abuse Recovery: Sexual</b> Extent of healing of physical and psychological injuries due to sexual abuse or exploitation
1400 <b>Abusive Behavior Self-Restraint</b> Self-restraint of abusive and neglectful behaviors towards others
1300 <b>Acceptance: Health Status</b> Reconciliation to significant change in health circumstances
0005 <b>Activity Tolerance</b> Physiologic response to energy-consuming movements with daily activities
1308 <b>Adaptation to Physical Disability</b> Adaptive response to a significant functional challenge due to a physical disability
1600 <b>Adherence Behavior</b> Self-initiated actions to promote wellness, recovery, and rehabilitation
1401 <b>Aggression Self-Control</b> Self-restraint of assaultive, combative, or destructive behaviors toward others
0705 <b>Allergic Response: Localized</b> Severity of localized hypersensitive immune response to a specific environmental (exogenous) antigen
0706 <b>Allergic Response: Systemic</b> Severity of systemic hypersensitive immune response to a specific environmental (exogenous) antigen
0200 <b>Ambulation</b> Ability to walk from place to place independently with or without assistive device
0201 <b>Ambulation: Wheelchair</b> Ability to move from place to place in a wheelchair
1211 <b>Anxiety Level</b> Severity of manifested apprehension, tension, or uneasiness arising from an unidentifiable source
1402 <b>Anxiety Self-Control</b> Personal actions to eliminate or reduce feelings of apprehension, tension, or uneasiness from an unidentifiable source
1014 <b>Appetite</b> Desire to eat when ill or receiving treatment
1918 <b>Aspiration Prevention</b> Personal actions to prevent the passage of fluid and solid particles into the lung
0704 <b>Asthma Self-Management</b> Personal actions to reverse inflammatory condition resulting in bronchial constriction of the airways
0202 <b>Balance</b> Ability to maintain body equilibrium
0409 <b>Blood Coagulation</b> Extent to which blood clots within normal period of time
2300 <b>Blood Glucose Level</b> Extent to which glucose levels in plasma and urine are maintained in normal range
0413 <b>Blood Loss Severity</b> Severity of internal or external bleeding/hemorrhage
0700 <b>Blood Transfusion Reaction</b> Severity of complications with blood transfusion reaction

1200 <b>Body Image</b> Perception of own appearance and body functions
1616 <b>Body Mechanics Performance</b> Personal actions to maintain proper body alignment and to prevent muscular skeletal strain
0203 <b>Body Positioning: Self-Initiated</b> Ability to change own body position independently with or without assistive device
1104 <b>Bone Healing</b> Extent of regeneration of cells and tissues following bone injury
0500 <b>Bowel Continence</b> Control of passage of stool from the bowel
0501 <b>Bowel Elimination</b> Formation and evacuation of stool
1000 <b>Breastfeeding Establishment: Infant</b> Infant attachment to and sucking from the mother's breast for nourishment during the first 3 weeks of breastfeeding
1001 <b>Breastfeeding Establishment: Maternal</b> Maternal establishment of proper attachment of an infant to and sucking from the breast for nourishment during the first 3 weeks of breastfeeding
1002 <b>Breastfeeding Maintenance</b> Continuation of breastfeeding for nourishment of an infant/toddler
1003 <b>Breastfeeding Weaning</b> Progressive discontinuation of breastfeeding
1617 <b>Cardiac Disease Self-Management</b> Personal actions to manage heart disease and prevent disease progression
0400 <b>Cardiac Pump Effectiveness</b> Adequacy of blood volume ejected from the left ventricle to support systemic perfusion pressure
2200 <b>Caregiver Adaptation to Patient Institutionalization</b> Adaptive response of family caregiver when the care recipient is moved to an institution
2506 <b>Caregiver Emotional Health</b> Emotional well-being of a family care provider while caring for a family member
2202 <b>Caregiver Home Care Readiness</b> Extent of preparedness of a caregiver to assume responsibility for the health care of a family member in the home
2203 <b>Caregiver Lifestyle Disruption</b> Severity of disturbances in the lifestyle of a family member due to caregiving
2204 <b>Caregiver-Patient Relationship</b> Positive interactions and connections between the caregiver and care recipient
2205 <b>Caregiver Performance: Direct Care</b> Provision by family care provider of appropriate personal and health care for a family member
2206 <b>Caregiver Performance: Indirect Care</b> Arrangement and oversight by family care provider of appropriate care for a family member
2507 <b>Caregiver Physical Health</b> Physical well-being of a family care provider while caring for a family member
2208 <b>Caregiver Stressors</b> Severity of biopsychosocial pressure on a family care provider caring for another over an extended period of time
2508 <b>Caregiver Well-Being</b> Extent of positive perception of primary care provider's health status and life circumstances
2210 <b>Caregiving Endurance Potential</b> Factors that promote family care provider continuance over an extended period of time
1301 <b>Child Adaptation to Hospitalization</b> Adaptive response of a child from 3 years through 17 years of age to hospitalization
0120 <b>Child Development: 1 Month</b> Milestones of physical, cognitive, and psychosocial progression by 1 month of age
0100 <b>Child Development: 2 Months</b> Milestones of physical, cognitive, and psychosocial progression by 2 months of age
0101 <b>Child Development: 4 Months</b> Milestones of physical, cognitive, and psychosocial progression by 4 months of age
0102 <b>Child Development: 6 Months</b> Milestones of physical, cognitive, and psychosocial progression by 6 months of age
0103 <b>Child Development: 12 Months</b> Milestones of physical, cognitive, and psychosocial progression by 12 months of age

0104 <b>Child Development: 2 Years</b> Milestones of physical, cognitive, and psychosocial progression by 2 years of age
0105 <b>Child Development: 3 Years</b> Milestones of physical, cognitive, and psychosocial progression by 3 years of age
0106 <b>Child Development: 4 Years</b> Milestones of physical, cognitive, and psychosocial progression by 4 years of age
0107 <b>Child Development: 5 Years</b> Milestones of physical, cognitive, and psychosocial progression by 5 years of age
0108 <b>Child Development: Middle Childhood</b> Milestones of physical, cognitive, and psychosocial progression from 6 years through 11 years of age
0109 <b>Child Development: Adolescence</b> Milestones of physical, cognitive, and psychosocial progression from 12 years through 17 years of age
0401 <b>Circulation Status</b> Unobstructed, unidirectional blood flow at an appropriate pressure through large vessels of the systemic and pulmonary circuits
3000 <b>Client Satisfaction: Access to Care Resources</b> Extent of positive perception of access to nursing staff, supplies, and equipment needed for care
3001 <b>Client Satisfaction: Caring</b> Extent of positive perception of nursing staff's concern for the client
3002 <b>Client Satisfaction: Communication</b> Extent of positive perception of information exchanged between client and nursing staff
3003 <b>Client Satisfaction: Continuity of Care</b> Extent of positive perception of coordination of care as the patient moves from one care setting to another
3004 <b>Client Satisfaction: Cultural Needs Fulfillment</b> Extent of positive perception of integration of cultural beliefs, values and social structures into nursing care
3005 <b>Client Satisfaction: Functional Assistance</b> Extent of positive perception of nursing assistance to achieve mobility and self-care as independently as health condition permits
3006 <b>Client Satisfaction: Physical Care</b> Extent of positive perception of nursing care to maintain body functions and cleanliness
3007 <b>Client Satisfaction: Physical Environment</b> Extent of positive perception of living environment, treatment environment, equipment and supplies in acute or long term care settings
3008 <b>Client Satisfaction: Protection of Rights</b> Extent of positive perception of protection of a client's legal and moral rights provided by nursing staff
3009 <b>Client Satisfaction: Psychological Care</b> Extent of positive perception of nursing assistance to perform emotional and mental activities as independently as health condition permits
3010 <b>Client Satisfaction: Safety</b> Extent of positive perception of procedures, information and nursing care to prevent harm or injury
3011 <b>Client Satisfaction: Symptom Control</b> Extent of positive perception of nursing care to relieve symptoms of illness
3012 <b>Client Satisfaction: Teaching</b> Extent of positive perception of instruction provided by nursing staff to improve knowledge, understanding and participation in care
3013 <b>Client Satisfaction: Technical Aspects of Care</b> Extent of positive perception of nursing staff's knowledge and expertise used in providing care
0900 <b>Cognition</b> Ability to execute complex mental processes
0901 <b>Cognitive Orientation</b> Ability to identify person, place, and time accurately
2100 <b>Comfort Level</b> Extent of positive perception of physical and psychological ease
2007 <b>Comfortable Death</b> Physical and psychological ease with the impending end of life
0902 <b>Communication</b> Reception, interpretation, and expression of spoken, written and non-verbal messages
0903 <b>Communication: Expressive</b> Expression of meaningful verbal and/or non-verbal messages
0904 <b>Communication: Receptive</b> Reception and interpretation of verbal and/or non-verbal messages
2700 <b>Community Competence</b> Capacity of a community to collectively problem solve to achieve community goals

2804 <b>Community Disaster Readiness</b> Community preparedness to respond to a natural or man-made calamitous event
2701 <b>Community Health Status</b> General state of well-being of a community or population
2800 <b>Community Health Status: Immunity</b> Resistance of community members to the invasion and spread of an infectious agent that could threaten public health
2801 <b>Community Risk Control: Chronic Disease</b> Community actions to reduce the risk of chronic diseases and related complications
2802 <b>Community Risk Control: Communicable Disease</b> Community actions to eliminate or reduce the spread of infectious agents that threaten public health
2803 <b>Community Risk Control: Lead Exposure</b> Community actions to reduce lead exposure and poisoning
2805 <b>Community Risk Control: Violence</b> Community actions to eliminate or reduce intentional violent acts resulting in serious physical or psychological harm
2702 <b>Community Violence Level</b> Incidence of violent acts compared with local, state, or national values
1601 <b>Compliance Behavior</b> Personal actions to promote wellness, recovery, and rehabilitation based on professional advice
0905 <b>Concentration</b> Ability to focus on a specific stimulus
0212 <b>Coordinated Movement</b> Ability of muscles to work together voluntarily for purposeful movement
1302 <b>Coping</b> Personal actions to manage stressors that tax an individual's resources
0906 <b>Decision-Making</b> Ability to make judgments and choose between two or more alternatives
1208 <b>Depression Level</b> Severity of melancholic mood and loss of interest in life events
1409 <b>Depression Self-Control</b> Personal actions to minimize melancholy and maintain interest in life events
1619 <b>Diabetes Self-Management</b> Personal actions to manage diabetes mellitus and prevent disease progression
1307 <b>Dignified Life Closure</b> Personal actions to maintain control during approaching end of life
0311 <b>Discharge Readiness: Independent Living</b> Readiness of a patient to relocate from a health care institution to living independently
0312 <b>Discharge Readiness: Supported Living</b> Readiness of a patient to relocate from a health care institution to a lower level of supported living
1403 <b>Distorted Thought Self-Control</b> Self-restraint of disruptions in perception, thought processes, and thought content
0600 <b>Electrolyte &amp; Acid/Base Balance</b> Balance of the electrolytes and non-electrolytes in the intracellular and extracellular compartments of the body
0001 <b>Endurance</b> Capacity to sustain activity
0002 <b>Energy Conservation</b> Personal actions to manage energy for initiating and sustaining activity
1909 <b>Fall Prevention Behavior</b> Personal or family caregiver actions to minimize risk factors that might precipitate falls in the personal environment
1912 <b>Falls Occurrence</b> Number of falls in the past _____ (define period of time)
2600 <b>Family Coping</b> Family actions to manage stressors that tax family resources
2602 <b>Family Functioning</b> Capacity of the family system to meet the needs of its members during developmental transitions
2606 <b>Family Health Status</b> Overall health and social competence of family unit
2603 <b>Family Integrity</b> Family members' behaviors that collectively demonstrate cohesion, strength, and emotional bonding

2604 <b>Family Normalization</b> Capacity of the family system to maintain routines and develop strategies for optimal functioning when a member has a chronic illness or disability
2605 <b>Family Participation in Professional Care</b> Family involvement in decision-making, delivery, and evaluation of care provided by health care personnel
2607 <b>Family Physical Environment</b> Physical arrangements in the home that provide safety and stimulation to family members
2608 <b>Family Resiliency</b> Capacity of the family system to successfully adapt and function competently following significant adversity or crises
2601 <b>Family Social Climate</b> Supportive milieu as characterized by family member relationships and goals
2609 <b>Family Support During Treatment</b> Family presence and emotional support for an individual undergoing treatment
1210 <b>Fear Level</b> Severity of manifested apprehension, tension, or uneasiness arising from an identifiable source
1213 <b>Fear Level: Child</b> Severity of manifested apprehension, tension, or uneasiness arising from an identifiable source in a child from 1 year through 17 years of age
1404 <b>Fear Self-Control</b> Personal actions to eliminate or reduce disabling feelings of apprehension, tension, or uneasiness from an identifiable source
0111 <b>Fetal Status: Antepartum</b> Extent to which fetal signs are within normal limits from conception to the onset of labor
0112 <b>Fetal Status: Intrapartum</b> Extent to which fetal signs are within normal limits from onset of labor to delivery
0601 <b>Fluid Balance</b> Water balance in the intracellular and extracellular compartments of the body
0603 <b>Fluid Overload Severity</b> Severity of excess fluids in the intracellular and extracellular compartments of the body
1304 <b>Grief Resolution</b> Adjustment to actual or impending loss
0110 <b>Growth</b> Normal increase in bone size and body weight during growth years
1700 <b>Health Beliefs</b> Personal convictions that influence health behaviors
1701 <b>Health Beliefs: Perceived Ability to Perform</b> Personal conviction that one can carry out a given health behavior
1702 <b>Health Beliefs: Perceived Control</b> Personal conviction that one can influence a health outcome
1703 <b>Health Beliefs: Perceived Resources</b> Personal conviction that one has adequate means to carry out a health behavior
1704 <b>Health Beliefs: Perceived Threat</b> Personal conviction that a threatening health problem is serious and has potential negative consequences for lifestyle
1705 <b>Health Orientation</b> Personal commitment to health behaviors as lifestyle priorities
1602 <b>Health Promoting Behavior</b> Personal actions to sustain or increase wellness
1603 <b>Health Seeking Behavior</b> Personal actions to promote optimal wellness, recovery, and rehabilitation
1610 <b>Hearing Compensation Behavior</b> Personal actions to identify, monitor and compensate for hearing loss
1105 <b>Hemodialysis Access</b> Functionality of a dialysis access site
1201 <b>Hope</b> Optimism that is personally satisfying and life-supporting
0602 <b>Hydration</b> Adequate water in the intracellular and extracellular compartments of the body
0915 <b>Hyperactivity Level</b> Severity of patterns of inattention or impulsivity in a child from 1 year through 17 years of age
1202 <b>Identity</b> Distinguishes between self and non-self and characterizes one's essence

0204 <b>Immobility Consequences: Physiological</b> Severity of compromise in physiological functioning due to impaired physical mobility
0205 <b>Immobility Consequences: Psycho-Cognitive</b> Severity of compromise in psycho-cognitive functioning due to impaired physical mobility
0707 <b>Immune Hypersensitivity Response</b> Severity of inappropriate immune responses
0702 <b>Immune Status</b> Natural and acquired appropriately targeted resistance to internal and external antigens
1900 <b>Immunization Behavior</b> Personal actions to obtain immunization to prevent a communicable disease
1405 <b>Impulse Self-Control</b> Self-restraint of compulsive or impulsive behaviors
0703 <b>Infection Severity</b> Severity of infection and associated symptoms
0708 <b>Infection Severity: Newborn</b> Severity of infection and associated symptoms during the first 28 days of life
0907 <b>Information Processing</b> Ability to acquire, organize, and use information
0213 <b>Joint Movement: Ankle</b> Active range of motion of the ankle with self-initiated movement
0214 <b>Joint Movement: Elbow</b> Active range of motion of the elbow with self-initiated movement
0215 <b>Joint Movement: Fingers</b> Active range of motion of the fingers with self-initiated movement
0216 <b>Joint Movement: Hip</b> Active range of motion of the hip with self-initiated movement
0217 <b>Joint Movement: Knee</b> Active range of motion of the knee with self-initiated movement
0218 <b>Joint Movement: Neck</b> Active range of motion of the neck with self-initiated movement
0207 <b>Joint Movement: Passive</b> Joint movement with assistance
0219 <b>Joint Movement: Shoulder</b> Active range of motion of the shoulder with self-initiated movement
0220 <b>Joint Movement: Spine</b> Active range of motion of the spine with self-initiated movement
0221 <b>Joint Movement: Wrist</b> Active range of motion of the wrist with self-initiated movement
0504 <b>Kidney Function</b> Filtration of blood and elimination of metabolic waste products through the formation of urine
1827 <b>Knowledge: Body Mechanics</b> Extent of understanding conveyed about proper body alignment, balance and coordinated movement
1800 <b>Knowledge: Breastfeeding</b> Extent of understanding conveyed about lactation and nourishment of an infant through breastfeeding
1830 <b>Knowledge: Cardiac Disease Management</b> Extent of understanding conveyed about heart disease and the prevention of complications
1801 <b>Knowledge: Child Physical Safety</b> Extent of understanding conveyed about safely caring for a child from 1 year through 17 years of age
1821 <b>Knowledge: Conception Prevention</b> Extent of understanding conveyed about prevention of unintended pregnancy
1820 <b>Knowledge: Diabetes Management</b> Extent of understanding conveyed about diabetes mellitus and the prevention of complications
1802 <b>Knowledge: Diet</b> Extent of understanding conveyed about recommended diet
1803 <b>Knowledge: Disease Process</b> Extent of understanding conveyed about a specific disease process
1804 <b>Knowledge: Energy Conservation</b> Extent of understanding conveyed about energy conservation techniques

1828 <b>Knowledge: Fall Prevention</b> Extent of understanding conveyed about prevention of falls
1816 <b>Knowledge: Fertility Promotion</b> Extent of understanding conveyed about fertility testing and the conditions that affect conception
1805 <b>Knowledge: Health Behavior</b> Extent of understanding conveyed about the promotion and protection of health
1823 <b>Knowledge: Health Promotion</b> Extent of understanding conveyed about information needed to obtain and maintain optimal health
1806 <b>Knowledge: Health Resources</b> Extent of understanding conveyed about relevant health care resources
1824 <b>Knowledge: Illness Care</b> Extent of understanding conveyed about illness-related information needed to achieve and maintain optimal health
1819 <b>Knowledge: Infant Care</b> Extent of understanding conveyed about caring for a baby from birth to 1st birthday
1807 <b>Knowledge: Infection Control</b> Extent of understanding conveyed about prevention and control of infection
1817 <b>Knowledge: Labor &amp; Delivery</b> Extent of understanding conveyed about labor and vaginal delivery
1808 <b>Knowledge: Medication</b> Extent of understanding conveyed about the safe use of medication
1829 <b>Knowledge: Ostomy Care</b> Extent of understanding conveyed about maintenance of an ostomy for elimination
1826 <b>Knowledge: Parenting</b> Extent of understanding conveyed about provision of a nurturing and constructive environment for a child from 1 year through 17 years of age
1809 <b>Knowledge: Personal Safety</b> Extent of understanding conveyed about prevention of unintentional injuries
1818 <b>Knowledge: Postpartum Maternal Health</b> Extent of understanding conveyed about maternal health following delivery
1822 <b>Knowledge: Preconception Maternal Health</b> Extent of understanding conveyed about maternal health prior to conception to insure a healthy pregnancy
1810 <b>Knowledge: Pregnancy</b> Extent of understanding conveyed about promotion of a healthy pregnancy and prevention of complications
1811 <b>Knowledge: Prescribed Activity</b> Extent of understanding conveyed about prescribed activity and exercise
1815 <b>Knowledge: Sexual Functioning</b> Extent of understanding conveyed about sexual development and responsible sexual practices
1812 <b>Knowledge: Substance Use Control</b> Extent of understanding conveyed about controlling the use of drugs, tobacco, or alcohol
1814 <b>Knowledge: Treatment Procedure(s)</b> Extent of understanding conveyed about procedure(s) required as part of a treatment regimen
1813 <b>Knowledge: Treatment Regimen</b> Extent of understanding conveyed about a specific treatment regimen
1604 <b>Leisure Participation</b> Use of relaxing, interesting, and enjoyable activities to promote well-being
1203 <b>Loneliness Severity</b> Severity of emotional, social or existential isolation response
2509 <b>Maternal Status: Antepartum</b> Extent to which maternal well-being is within normal limits from conception to the onset of labor
2510 <b>Maternal Status: Intrapartum</b> Extent to which maternal well-being is within normal limits from onset of labor to delivery
2511 <b>Maternal Status: Postpartum</b> Extent to which maternal well-being is within normal limits from delivery of placenta to completion of involution
0411 <b>Mechanical Ventilation Response: Adult</b> Alveolar exchange and tissue perfusion are supported by mechanical ventilation
0412 <b>Mechanical Ventilation Weaning Response: Adult</b> Respiratory and psychological adjustment to progressive removal of mechanical ventilation
2301 <b>Medication Response</b> Therapeutic and adverse effects of prescribed medication

0908 <b>Memory</b>	Ability to cognitively retrieve and report previously stored information
0208 <b>Mobility</b>	Ability to move purposefully in own environment independently with or without assistive device
1204 <b>Mood Equilibrium</b>	Appropriate adjustment of prevailing emotional tone in response to circumstances
1209 <b>Motivation</b>	Inner urge that moves or prompts an individual to positive action(s)
1618 <b>Nausea &amp; Vomiting Control</b>	Personal actions to control nausea, retching, and vomiting symptoms
2106 <b>Nausea &amp; Vomiting: Disruptive Effects</b>	Severity of observed or reported disruptive effects of nausea, retching, and vomiting on daily functioning
2107 <b>Nausea &amp; Vomiting Severity</b>	Severity of nausea, retching, and vomiting symptoms
2513 <b>Neglect Cessation</b>	Evidence that the victim is no longer receiving substandard care
2512 <b>Neglect Recovery</b>	Extent of healing following the cessation of substandard care
0909 <b>Neurological Status</b>	Ability of the peripheral and central nervous system to receive, process, and respond to internal and external stimuli
0910 <b>Neurological Status: Autonomic</b>	Ability of the autonomic nervous system to coordinate visceral and homeostatic function
0911 <b>Neurological Status: Central Motor Control</b>	Ability of the central nervous system to coordinate skeletal muscle activity for body movement
0912 <b>Neurological Status: Consciousness</b>	Arousal, orientation, and attention to the environment
0913 <b>Neurological Status: Cranial Sensory/Motor Function</b>	Ability of the cranial nerves to convey sensory and motor impulses
0914 <b>Neurological Status: Spinal Sensory/Motor Function</b>	Ability of the spinal nerves to convey sensory and motor impulses
0118 <b>Newborn Adaptation</b>	Adaptive response to the extrauterine environment by a physiologically mature newborn during the first 28 days
1004 <b>Nutritional Status</b>	Extent to which nutrients are available to meet metabolic needs
1005 <b>Nutritional Status: Biochemical Measures</b>	Body fluid components and chemical indices of nutritional status
1007 <b>Nutritional Status: Energy</b>	Extent to which nutrients and oxygen provide cellular energy
1008 <b>Nutritional Status: Food &amp; Fluid Intake</b>	Amount of food and fluid taken into the body over a 24-hour period
1009 <b>Nutritional Status: Nutrient Intake</b>	Adequacy of usual pattern of nutrient intake
1100 <b>Oral Hygiene</b>	Condition of the mouth, teeth, gums, and tongue
1615 <b>Ostomy Self-Care</b>	Personal actions to maintain ostomy for elimination
1306 <b>Pain: Adverse Psychological Response</b>	Severity of observed or reported adverse cognitive and emotional responses to physical pain
1605 <b>Pain Control</b>	Personal actions to control pain
2101 <b>Pain: Disruptive Effects</b>	Severity of observed or reported disruptive effects of chronic pain on daily functioning
2102 <b>Pain Level</b>	Severity of observed or reported pain
1500 <b>Parent-Infant Attachment</b>	Parent and infant behaviors that demonstrate an enduring affectionate bond
2902 <b>Parenting: Adolescent Physical Safety</b>	Parental actions to prevent physical injury in an adolescent from 12 years through 17 years of age

2901 <b>Parenting: Early/Middle Childhood Physical Safety</b> Parental actions to avoid physical injury of a child from 3 years through 11 years of age
2900 <b>Parenting: Infant/Toddler Physical Safety</b> Parental actions to avoid physical injury of a child from birth through 2 years of age
2211 <b>Parenting Performance</b> Parental actions to provide a child a nurturing and constructive physical, emotional, and social environment
1901 <b>Parenting: Psychosocial Safety</b> Parental actions to protect a child from social contacts that might cause harm or injury
1606 <b>Participation in Health Care Decisions</b> Personal involvement in selecting and evaluating health care options to achieve desired outcome
1614 <b>Personal Autonomy</b> Personal actions of a competent individual to exercise governance in life decisions
2006 <b>Personal Health Status</b> Overall physical, psychological, social, and spiritual functioning of an adult 18 years or older
1911 <b>Personal Safety Behavior</b> Personal actions of an adult to control behaviors that cause physical injury
2002 <b>Personal Well-Being</b> Extent of positive perception of one's health status and life circumstances
0113 <b>Physical Aging</b> Normal physical changes that occur with the natural aging process
2004 <b>Physical Fitness</b> Performance of physical activities with vigor
1913 <b>Physical Injury Severity</b> Severity of injuries from accidents and trauma
0114 <b>Physical Maturation: Female</b> Normal physical changes in the female that occur with the transition from childhood to adulthood
0115 <b>Physical Maturation: Male</b> Normal physical changes in the male that occur with the transition from childhood to adulthood
0116 <b>Play Participation</b> Use of activities by a child from 1 year through 11 years of age to promote enjoyment, entertainment, and development
2303 <b>Post Procedure Recovery Status</b> Extent to which an individual returns to baseline function following a procedure(s) requiring anesthesia or sedation
1607 <b>Prenatal Health Behavior</b> Personal actions to promote a healthy pregnancy and a healthy newborn
0117 <b>Preterm Infant Organization</b> Extrauterine integration of physiologic and behavioral function by the infant born 24 to 37 (term) weeks gestation
0006 <b>Psychomotor Energy</b> Personal drive and energy to maintain activities of daily living, nutrition, and personal safety
1305 <b>Psychosocial Adjustment: Life Change</b> Adaptive psychosocial response of an individual to a significant life change
2000 <b>Quality of Life</b> Extent of positive perception of current life circumstances
0410 <b>Respiratory Status: Airway Patency</b> Open, clear tracheobronchial passages for air exchange
0402 <b>Respiratory Status: Gas Exchange</b> Alveolar exchange of carbon dioxide and oxygen to maintain arterial blood gas concentrations
0403 <b>Respiratory Status: Ventilation</b> Movement of air in and out of the lungs
0003 <b>Rest</b> Quantity and pattern of diminished activity for mental and physical rejuvenation
1902 <b>Risk Control</b> Personal actions to prevent, eliminate, or reduce modifiable health threats
1903 <b>Risk Control: Alcohol Use</b> Personal actions to prevent, eliminate, or reduce alcohol use that poses a threat to health
1917 <b>Risk Control: Cancer</b> Personal actions to detect or reduce the threat of cancer
1914 <b>Risk Control: Cardiovascular Health</b> Personal actions to eliminate or reduce threats to cardiovascular health

1904 <b>Risk Control: Drug Use</b> Personal actions to prevent, eliminate, or reduce drug use that poses a threat to health
1915 <b>Risk Control: Hearing Impairment</b> Personal actions to prevent, eliminate, or reduce threats to hearing function
1905 <b>Risk Control: Sexually Transmitted Diseases (STD)</b> Personal actions to prevent, eliminate, or reduce behaviors associated with sexually transmitted disease
1906 <b>Risk Control: Tobacco Use</b> Personal actions to prevent, eliminate, or reduce tobacco use
1907 <b>Risk Control: Unintended Pregnancy</b> Personal actions to prevent or reduce the possibility of unintended pregnancy
1916 <b>Risk Control: Visual Impairment</b> Personal actions to prevent, eliminate, or reduce threats to visual function
1908 <b>Risk Detection</b> Personal actions to identify personal health threats
1501 <b>Role Performance</b> Congruence of an individual's role behavior with role expectations
1910 <b>Safe Home Environment</b> Physical arrangements to minimize environmental factors that might cause physical harm or injury in the home
1620 <b>Seizure Control</b> Personal actions to reduce or minimize the occurrence of seizure episodes
0313 <b>Self-Care Status</b> Ability to perform basic personal care activities and household tasks
0300 <b>Self-Care: Activities of Daily Living (ADL)</b> Ability to perform the most basic physical tasks and personal care activities independently with or without assistive device
0301 <b>Self-Care: Bathing</b> Ability to cleanse own body independently with or without assistive device
0302 <b>Self-Care: Dressing</b> Ability to dress self independently with or without assistive device
0303 <b>Self-Care: Eating</b> Ability to prepare and ingest food and fluid independently with or without assistive device
0305 <b>Self-Care: Hygiene</b> Ability to maintain own personal cleanliness and kempt appearance independently with or without assistive device
0306 <b>Self-Care: Instrumental Activities of Daily Living (IADL)</b> Ability to perform activities needed to function in the home or community independently with or without assistive device
0307 <b>Self-Care: Non-Parenteral Medication</b> Ability to administer oral and topical medications to meet therapeutic goals independently with or without assistive device
0308 <b>Self-Care: Oral Hygiene</b> Ability to care for own mouth and teeth independently with or without assistive device
0309 <b>Self-Care: Parenteral Medication</b> Ability to administer parenteral medications to meet therapeutic goals independently with or without assistive device
0310 <b>Self-Care: Toileting</b> Ability to toilet self independently with or without assistive device
1613 <b>Self-Direction of Care</b> Care recipient actions taken to direct others who assist with or perform physical tasks and personal health care
1205 <b>Self-Esteem</b> Personal judgment of self-worth
1406 <b>Self-Mutilation Restraint</b> Personal actions to refrain from intentional self-inflicted injury (non-lethal)
2405 <b>Sensory Function Status</b> Extent to which an individual correctly perceives skin stimulation, sounds, proprioception, taste and smell, and visual images
2400 <b>Sensory Function: Cutaneous</b> Extent to which stimulation of the skin is correctly sensed
2401 <b>Sensory Function: Hearing</b> Extent to which sounds are correctly sensed
2402 <b>Sensory Function: Proprioception</b> Extent to which the position and movement of the head and body are correctly sensed
2403 <b>Sensory Function: Taste &amp; Smell</b> Extent to which chemicals inhaled or dissolved in saliva are correctly sensed

2404 <b>Sensory Function: Vision</b> Extent to which visual images are correctly sensed
0119 <b>Sexual Functioning</b> Integration of physical, socioemotional, and intellectual aspects of sexual expression and performance
1207 <b>Sexual Identity</b> Acknowledgment and acceptance of own sexual identity
0211 <b>Skeletal Function</b> Ability of the bones to support the body and facilitate movement
0004 <b>Sleep</b> Natural periodic suspension of consciousness during which the body is restored
1502 <b>Social Interaction Skills</b> Personal behaviors that promote effective relationships
1503 <b>Social Involvement</b> Social interactions with persons, groups, or organizations
1504 <b>Social Support</b> Perceived availability and actual provision of reliable assistance from others
2001 <b>Spiritual Health</b> Connectedness with self, others, higher power, all life, nature, and the universe that transcends and empowers the self
1212 <b>Stress Level</b> Severity of manifested physical or mental tension resulting from factors that alter an existing equilibrium
2005 <b>Student Health Status</b> Physical, cognitive/emotional, and social status of school age children that contribute to school attendance, participation in school activities, and ability to learn
1407 <b>Substance Addiction Consequences</b> Severity of change in health status and social functioning due to substance addiction
2003 <b>Suffering Severity</b> Severity of anguish associated with a distressing symptom, injury, or loss that has potential long-term effects
1408 <b>Suicide Self-Restraint</b> Personal actions to refrain from gestures and attempts at killing self
1010 <b>Swallowing Status</b> Safe passage of fluids and/or solids from the mouth to the stomach
1011 <b>Swallowing Status: Esophageal Phase</b> Safe passage of fluids and/or solids from the pharynx to the stomach
1012 <b>Swallowing Status: Oral Phase</b> Preparation, containment and posterior movement of fluids and/or solids in the mouth
1013 <b>Swallowing Status: Pharyngeal Phase</b> Safe passage of fluids and/or solids from the mouth to the esophagus
1608 <b>Symptom Control</b> Personal actions to minimize perceived adverse changes in physical and emotional functioning
2103 <b>Symptom Severity</b> Severity of perceived adverse changes in physical, emotional, and social functioning
2104 <b>Symptom Severity: Perimenopause</b> Severity of symptoms caused by declining hormonal levels
2105 <b>Symptom Severity: Premenstrual Syndrome (PMS)</b> Severity of symptoms caused by cyclic hormonal fluctuations
2302 <b>Systemic Toxin Clearance: Dialysis</b> Clearance of toxins from the body with peritoneal or hemodialysis
0800 <b>Thermoregulation</b> Balance among heat production, heat gain, and heat loss
0801 <b>Thermoregulation: Newborn</b> Balance among heat production, heat gain, and heat loss during the first 28 days of life
1101 <b>Tissue Integrity: Skin &amp; Mucous Membranes</b> Structural intactness and normal physiological function of skin and mucous membranes
0404 <b>Tissue Perfusion: Abdominal Organs</b> Adequacy of blood flow through the small vessels of the abdominal viscera to maintain organ function
0405 <b>Tissue Perfusion: Cardiac</b> Adequacy of blood flow through the coronary vasculature to maintain heart function
0406 <b>Tissue Perfusion: Cerebral</b> Adequacy of blood flow through the cerebral vasculature to maintain brain function

0407 <b>Tissue Perfusion: Peripheral</b> Adequacy of blood flow through the small vessels of the extremities to maintain tissue function
0408 <b>Tissue Perfusion: Pulmonary</b> Adequacy of blood flow through pulmonary vasculature to perfuse alveoli/capillary unit
0210 <b>Transfer Performance</b> Ability to change body location independently with or without assistive device
1609 <b>Treatment Behavior: Illness or Injury</b> Personal actions to palliate or eliminate pathology
0502 <b>Urinary Continence</b> Control of elimination of urine from the bladder
0503 <b>Urinary Elimination</b> Collection and discharge of urine
1611 <b>Vision Compensation Behavior</b> Personal actions to compensate for visual impairment
0802 <b>Vital Signs</b> Extent to which temperature, pulse, respiration, and blood pressure are within normal range
1006 <b>Weight: Body Mass</b> Extent to which body weight, muscle, and fat are congruent to height, frame, gender, and age
1612 <b>Weight Control</b> Personal actions to achieve and maintain optimum body weight
1206 <b>Will to Live</b> Desire, determination, and effort to survive
1102 <b>Wound Healing: Primary Intention</b> Extent of regeneration of cells and tissue following intentional closure
1103 <b>Wound Healing: Secondary Intention</b> Extent of regeneration of cells and tissue in an open wound